

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Engage cloud Administrator's Guide

Stage 3: Dialing and call handling

Contents

- 1 Stage 3: Dialing and call handling
 - 1.1 Dialing
 - 1.2 Call handling
 - 1.3 Want to learn more?

Stage 3: Dialing and call handling

Monitoring

Now it's time to start reaching out to customers. First, an automatic dialer will make predictions about agent availability and call results and then begin dialing numbers. Once it detects a voice, it will hand the call off to an available agent.

Dialing

Once Harry's campaign is running in **ASM** mode with **Predictive** dialing, the system can bridge a call to an agent within 2 seconds of detecting a voice.

First, it checks the routing strategy before it dials out. It's looking for the agent group assigned to the campaign and it's checking all routing parameters that specify how it should route the call once it detects a voice. And then, it reserves an agent. The agent commits to that call once all other queued-up calls are cleared.

Then it starts dialing.

Call handling

Scenario: Agent Martha logs in to **Agent Desktop** just before her shift begins and sees a notification that she has been added to the **Long Distance Calling Plan** campaign.

Solution: Martha can join the campaign and start connecting with customers.

[+] Instructions

Handling an Outbound call

Senesys • Workspace		
🛞 defaultTe	anant 🚱 00:21 😢 🕻	હ હ - હ -
Case Information		
Origin:	Outbound Campaign C	all - Connecting
empaign Group Nan	ne: CampaignSIP@Agent(Group SIP One
Customer ament:	default	
GSW Application ID:	124	
GSW_C ILL_TYPE:	ENGAGING	
GSW_SESSION_DBID		
defaultTenant		
	9993616	a 01:58 🕊 健 健 せ - ヒ - 📕
\mathbf{X}		
Case Information		
	Origin:	Outbound campaign call to 9993616
	Canceign Group Name:	CampaignSIP@Agent Group SIP one
	CardNumber:	
	Character:	b
	GSW Application ID:	124
	GSW_CALL_TYPE:	REGULAR
	GSW_CALLING_LIST:	2
	GSW_PHONE:	9993616
	- 9993616 Conn	- 105 ected


- 1. In **Agent Desktop**, click **OK** to join the campaign. When the agent is **Ready** and reserved, the phone rings. and the agent waits while the system dials a number. When the system detects a voice, the reserved agent hears a beep and is then connected to the customer.
- 2. In the meantime, in **Agent Desktop**, the agent sees a pop-up notification, and in the call **Case Information** areas, the **Origin** of the call is **Outbound Campaign Call - Connecting...**
- 3. As soon as the customer answers the phone and the call is connected, the Origin of the call changes to Outbound campaign call to <name or number of contact>. The agent might see information about the call in the Case Information area such as campaign call information, the call status, and call actions.

Scenario: Customer Sally is very interested in the new long distance plan that Martha is offering. In the middle of their conversation, Sally's doorbell rings, and she needs to hang up from the call to tend to her guest. She asks Martha to call her back at 7PM to discuss the long distance plan further.

Solution: With Sally on the phone, Martha can use the **Schedule Callback** function.

[+] Instructions

Scheduling a callback



- 1. Open the calendar and do the following:
 - 1. Check Schedule Callback
 - 2. Set the date and time for the callback: July 6, 7PM in Martha's case.
 - 3. Check **Personal Callback** because Sally wants Martha, not another agent, to call her back.
 - 4. In the **To** field, select Sally's Home Phone number from the drop-down.
- 2. End the call.

Want to learn more?

- Agents and Outbound campaigns
- Agent Desktop help
- Outbound Dialing Modes