

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Engage cloud Reporting Guide

Table SDR_SURVEY_QUESTIONS_I2

5/8/2025

Table SDR_SURVEY_QUESTIONS_I2

Description

Introduced: 8.5.007. Supported in certain Genesys Engage cloud deployments only. **Modified:** 8.5.010 (in Microsoft SQL Server, data type for the IQ* columns modified in singleand multi-language databases)

In partitioned databases, this table is not partitioned.

This dimension table enables Session Detail Record (SDR) facts to be described based on custom survey questions IQ6-IQ10. The capital letter (I) preceding the digit in the table name indicates that an integer response is expected.

Important

Note for customers using Data Export Capability: If the target database for exported Info Mart data is hosted on Microsoft SQL Server in your deployment, and if you use a Genesys-provided **update_target_*.sql** script to create or update the target schema, be aware of the following consideration: Starting with Genesys Info Mart release 8.5.014.34, the sizes of some columns in this table in the Microsoft SQL Server target database differ from what is documented on this page.

Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: Download a CSV file.

Hint: For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

Column List

Legend

| Column | Data Type | Р | Μ | F | DV |
|----------------------------|---------------|---|---|---|----------|
| ID | int | Х | Х | | |
| IQ6 | nvarchar(170) | | Х | | NO_VALUE |
| IQ7 | nvarchar(170) | | Х | | NO_VALUE |
| IQ8 | nvarchar(170) | | Х | | NO_VALUE |
| IQ9 | nvarchar(170) | | Х | | NO_VALUE |
| IQ10 | nvarchar(170) | | Х | | NO_VALUE |
| CREATE_AUDIT_KEYumeric(19) | | Х | Х | | |

ID

The primary key of this table.

IQ6

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases) **Based on KVP:** survey iQ6

Integer-response question 6.

IQ7

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases) **Based on KVP:** survey iQ7

Integer-response question 7.

IQ8

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases) **Based on KVP:** survey iQ8

Integer-response question 8.

IQ9

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases) Integer-response question 9.

IQ10

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases) Integer-response question 10.

CREATE_AUDIT_KEY

The surrogate key that is used to join to the CTL_AUDIT_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools--that is, applications that need to identify newly added data.

Index List

| CODE | U | С | Description |
|-----------------------|---------------|---|---|
| I_SDR_SURVEY_QUESTION | S <u>X</u> I2 | | Improves access time, based on the CREATE_AUDIT_KEY value. |

Index I_SDR_SURVEY_QUESTIONS_I2

| Field | Sort | Comment |
|-------|-----------|---------|
| IQ6 | Ascending | |
| IQ7 | Ascending | |
| IQ8 | Ascending | |
| IQ9 | Ascending | |
| IQ10 | Ascending | |

Subject Areas

No subject area information available.