



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Platform SDK Developer's Guide

CfgGVPIVRProfile

5/7/2025

---

## Contents

- [1 CfgGVPIVRProfile](#)
  - [1.1 Description](#)
  - [1.2 Filter Keys](#)
  - [1.3 Attributes](#)
  - [1.4 See Also](#)

# CfgGVPIVRProfile

## Description

A *GVP IVR Profile* is the IVR Profile used by a GVP Customer to process calls to that customer. Each GVP IVR Profile is associated with one GVP Customer. GVP IVR Profiles are also associated with GVP IVR Profile Groups; with a group containing one or more profiles, and one profile being associated with one or more groups

## Filter Keys

| Filter Name   | Type   | Description   |
|---------------|--------|---|
| dbid          | int    | A unique identifier of a folder. If specified, Configuration Server will return information only about this folder.   |
| name          | string | Name of a GVP IVR Profile. Shall be specified as a character string. If specified, Configuration Server will return information only about the GVP IVR Profiles with that name.                         |
| tenant_dbid   | int    | A unique identifier of a tenant. If specified, Configuration Server will return information only about the GVP IVR Profiles that belong to this tenant.   |
| reseller_dbid | int    | A unique identifier of a GVP Reseller. If specified, Configuration Server will return information only about the GVP IVR Profiles that belong to this GVP Reseller.                                     |
| customer_dbid | int    | A unique identifier of a GVP Customer. If specified, Configuration Server will return information only about the GVP IVR Profiles that belong to this GVP Customer.                                     |
| state         | int    | Current state of a GVP IVR Profile (see type <a href="#">CfgObjectState</a> ). If specified, Configuration Server will return information only about GVP IVR Profiles that are currently in this state. |

## Attributes

- DBID — An identifier of this object in the Configuration Database. Generated by Configuration Server and is unique within an object type. Identifiers of deleted objects are not used again. Read-only.
- customerDBID — A unique identifier of the [CfgGVPCustomer](#) to which this GVP IVR Profile is allocated. Mandatory. Once specified, cannot be changed
- resellerDBID — A unique identifier of the [CfgGVPReseller](#) to which this GVP IVR Profile is allocated. Populated from GVP Customer. Read-only
- tenantDBID — A unique identifier of the [CfgTenant](#) to which this GVP IVr Profile is allocated. Populated from GVP Customer. Read-only
- name — A pointer to name of the GVP IVR Profile. Mandatory. Must be unique within the GVP Customer.
- displayName — A name for this GVP IVR Profile that appears on the console display
- type — A type of this GVP IVR Profile. Refer to [CfgIVRProfileType](#).
- notes — Optional notes and information relevant for this GVP IVR Profile.
- description — An optional short description of this GVP IVR Profile.
- startServiceDate — The date when this GVP IVR Profile takes effect.
- endServiceDate — The date when this GVP IVR Profile ends. This date must be the same as, or later than, the Start of Service.
- isProvisioned — If this GVP IVR Profile is provisioned in the switch database. Refer to [CfgFlag](#).
- tfn — A list of toll-free prefixes which this GVP IVR Profile can access.
- status — The status of this GVP IVR Profile.
- DIDDIDs — A pointer to the list of unique identifiers to [DN](#) objects of type CFGGVPDID. Optional.
- state — Current object state. Mandatory. Refer to [CfgObjectState](#).
- userProperties — A pointer to the list of user-defined properties. Parameter userProperties has the following structure: Each key-value pair of the primary list (TKVList \*userProperties) uses the key for the name of a user-defined section, and the value for a secondary list, that also has the TKVList structure and specifies the properties defined within that section.

## See Also

[CfgDeltaGVPIVRProfile](#)