



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Platform SDK Developer's Guide

CfgVoicePrompt

Contents

- 1 CfgVoicePrompt
 - 1.1 Description
 - 1.2 Filter Keys
 - 1.3 Attributes
 - 1.4 Comments
 - 1.5 XML Representation
 - 1.6 See Also

CfgVoicePrompt

Description

Voice Prompts are call treatment objects that may include a set of actions to be applied to a called party.

Filter Keys

Filter Name	Type	Description
dbid	int	A unique identifier of a voice prompt. If specified, Configuration Server will return information only about this voice prompt.
name	string	Name of a voice prompt. Shall be specified as a character string. If specified, Configuration Server will return information only about the voice prompts(s) with that name.
tenant_dbid	int	A unique identifier of a tenant. If specified, Configuration Server will return information only about the voice prompts that belong to this tenant.
switch_dbid	int	A unique identifier of a switch. If specified, Configuration Server will return information only about the voice prompts that belong to this switch.
script_dbid	int	A unique identifier of a script. If specified, Configuration Server will return information only about the voice prompts that refer to this script.
state	int	Current state of a voice prompt (see CfgObjectState). If specified, Configuration Server will return information only about voice prompts that are currently in this state.

Attributes

- DBID — An identifier of this object in the Configuration Database. Generated by Configuration Server and is unique within an object type. Identifiers of deleted objects are not used again. Read-only.
- switchDBID — A unique identifier of the [CfgSwitch](#) to which this voice prompt belongs. Optional.
- tenantDBID — A unique identifier of the [CfgTenant](#) to which this voice prompt is allocated. Read only.
- name — A pointer to the voice prompt name that identifies the voice prompt. Should be equal to the voice prompt identifier provided by switch if used for parked call treating. Mandatory. Once specified cannot be changed. Must be unique within tenant it belongs to.
- description — A pointer to the voice prompt description. Can be used by parking platform or switch for generating voice prompt (Text-to-Speech).
- scriptDBID — A unique identifier of the [CfgScript](#) for this voice prompt.
- state — Current object state. Mandatory. Refer to [CfgObjectState](#).
- userProperties — A pointer to the list of user-defined properties. Parameter userProperties has the following structure: Each key-value pair of the primary list (TKVList *userProperties) uses the key for the name of a user-defined section, and the value for a secondary list, that also has the TKVList structure and specifies the properties defined within that section.

Comments

Common/System Voice Prompts have to be located under \Environment \ Voice Prompts folders. The System Voice Prompts is available for all applications.

Tenant-specific Voice Prompts have to be located under <Tenant>\ Voice Prompts folders. The access to these prompts have only configuration objects with access permissions to this tenant only.

XML Representation

Tip

This XML was created using the Configuration Server 7.5 schema.

```
<CfgVoicePrompt>
  <DBID value="101" />
  <switchDBID value="113" />
  <tenantDBID value="101" />
  <name value="Test_Voice_Prompt" />
  <scriptDBID value="0" />
  <state value="1" />
</CfgVoicePrompt>
```

See Also

[CfgDeltaVoicePrompt](#)