



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Platform SDK Developer's Guide

TInitiateConference

5/7/2025

---

## Contents

- 1 TInitiateConference
  - 1.1 Description
  - 1.2 Parameters
  - 1.3 Return Values

# TInitiateConference

## Description

On behalf of the telephony object specified by the parameter `dn`, places the existing call specified by the parameter `conn_id` on hold and originates a consultation call from the same telephony object to the called party, which is specified by the parameter `destination` with the purpose of a conference call.

## Parameters

Name	Description
<code>server</code>	Local server handle to the T-Server in question.
<code>dn</code>	Directory number of the telephony object that initiates the conference.
<code>conn_id</code>	Connection identifier of the call that is requested to be placed on hold.
<code>destination</code>	Directory number of the party to be dialed.
<code>location</code>	Name of the remote location in the form of <code>&lt;SwitchName&gt;</code> or <code>&lt;T-ServerApplicationName&gt;@&lt;SwitchName&gt;</code> .
<code>user_data</code>	A pointer to the user data that should be attached to the call.
<code>reasons</code>	A pointer to a data structure that provides additional information associated with this action.
<code>extensions</code>	A pointer to an additional data structure. <code>TInitiateConference()</code> uses the following extension: <code>ConsultUserData</code> .

## Return Values

Standard (See [standard-return-values](#).)