



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Platform SDK Developer's Guide

`TLocationInfoType`

12/20/2025

TLocationInfoType

Syntax

```
typedef enum {  
    LocationInfoAllLocations,  
    LocationInfoLocationData,  
    LocationInfoMonitorLocation,  
    LocationInfoCancelMonitorLocation,  
    LocationInfoMonitorAllLocations,  
    LocationInfoCancelMonitorAllLocations,  
    LocationInfoLocationMonitorCanceled,  
    LocationInfoAllLocationsMonitorCanceled  
} TLocationInfoType;
```

Values

- `LocationInfoAllLocations` — Requests information about all remote locations currently configured.
- `LocationInfoLocationData` — Requests information about the specified location.
- `LocationInfoMonitorLocation` — Requests that the specified location be monitored.
- `LocationInfoCancelMonitorLocation` — Requests that the specified location no longer be monitored.
- `LocationInfoMonitorAllLocations` — Requests that all locations be monitored.
- `LocationInfoCancelMonitorAllLocations` — Requests that all locations no longer be monitored.
- `LocationInfoLocationMonitorCanceled` — Notifies clients that monitoring of the specified location was canceled.
- `LocationInfoAllLocationsMonitorCanceled` — Notifies clients that monitoring of all locations was canceled.