



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Platform SDK Developer's Guide

TMessageType

12/15/2025

TMessageType

Syntax

```
enum TMessageType {
    RequestRegisterClient,
    RequestQueryServer,
    RequestQueryAddress,
    RequestRegisterAddress,
    RequestUnregisterAddress,
    RequestRegisterAll,
    RequestUnregisterAll,
    RequestSetInputMask,
    RequestAgentLogin,
    RequestAgentLogout,
    RequestAgentReady,
    RequestAgentNotReady,
    RequestSetDNDOOn,
    RequestSetDNDOff,
    RequestMakeCall,
    RequestMakePredictiveCall,
    RequestAnswerCall,
    RequestReleaseCall,
    RequestHoldCall,
    RequestRetrieveCall,
    RequestInitiateConference,
    RequestCompleteConference,
    RequestDeleteFromConference,
    RequestInitiateTransfer,
    RequestMuteTransfer,
    RequestSingleStepTransfer,
    RequestCompleteTransfer,
    RequestMergeCalls,
    RequestAlternateCall,
    RequestReconnectCall,
    RequestAttachUserData,
    RequestUpdateUserData,
    RequestDeleteUserData,
    RequestDeletePair,
    RequestCallForwardSet,
    RequestCallForwardCancel,
    RequestRouteCall,
    RequestGiveMusicTreatment,
    RequestGiveSilenceTreatment,
    RequestGiveRingBackTreatment,
    RequestLoginMailBox,
    RequestLogoutMailBox,
    RequestOpenVoiceFile,
    RequestCloseVoiceFile,
    RequestPlayVoiceFile,
    RequestCollectDigits,
    RequestSetMessageWaitingOn,
    RequestSetMessageWaitingOff,
    RequestDistributeUserEvent,
    RequestDistributeEvent,
```

```
EventServerConnected,  
EventServerDisconnected,  
EventError,  
EventRegistered,  
EventUnregistered,  
EventRegisteredAll,  
EventUnregisteredAll,  
EventQueued,  
EventDiverted,  
EventAbandoned,  
EventRinging,  
EventDialing,  
EventNetworkReached,  
EventDestinationBusy,  
EventEstablished,  
EventReleased,  
EventHeld,  
EventRetrieved,  
EventPartyChanged,  
EventPartyAdded,  
EventPartyDeleted,  
EventRouteRequest,  
EventRouteUsed,  
EventAgentLogin,  
EventAgentLogout,  
EventAgentReady,  
EventAgentNotReady,  
EventDNDOn,  
EventDNDOff,  
EventMailBoxLogin,  
EventMailBoxLogout,  
EventVoiceFileOpened,  
EventVoiceFileClosed,  
EventVoiceFileEndPlay,  
EventDigitsCollected,  
EventAttachedDataChanged,  
EventOffHook,  
EventOnHook,  
EventForwardSet,  
EventForwardCancel,  
EventMessageWaitingOn,  
EventMessageWaitingOff,  
EventAddressInfo,  
EventServerInfo,  
EventLinkDisconnected,  
EventLinkConnected,  
EventUserEvent,  
  
RequestSendDTMF,  
EventDTMFSent,  
  
EventResourceAllocated,  
EventResourceFreed,  
  
EventRemoteConnectionSuccess,  
EventRemoteConnectionFailed,  
  
RequestRedirectCall,  
RequestListenDisconnect,  
RequestListenReconnect,  
EventListenDisconnected,  
EventListenReconnected,  
RequestQueryCall,
```

```
EventPartyInfo,  
RequestClearCall,  
  
RequestSetCallInfo,  
EventCallInfoChanged,  
  
RequestApplyTreatment,  
EventTreatmentApplied,  
EventTreatmentNotApplied,  
EventTreatmentEnd,  
  
EventHardwareError,  
EventAgentAfterCallWork,  
EventTreatmentRequired,  
  
RequestSingleStepConference,  
RequestQuerySwitch,  
EventSwitchInfo,  
  
RequestGetAccessNumber,  
RequestCancelReqGetAccessNumber,  
EventAnswerAccessNumber,  
EventReqGetAccessNumberCanceled,  
  
RequestReserveAgent,  
EventAgentReserved,  
RequestReserveAgentAndGetAccessNumber,  
  
RequestAgentSetIdleReason,  
EventAgentIdleReasonSet,  
  
EventRestoreConnection,  
EventPrimaryChanged,  
RequestLostBackupConnection,  
RequestSetDNInfo,  
  
RequestQueryLocation,  
EventLocationInfo,  
  
EventACK,  
  
RequestMonitorNextCall,  
RequestCancelMonitoring,  
EventMonitoringNextCall,  
EventMonitoringCancelled,  
  
RequestSetMuteOn,  
RequestSetMuteOff,  
EventMuteOn,  
EventMuteOff,  
  
EventDNOutOfService,  
EventDNBackInService,  
  
RequestPrivateService,  
EventPrivateInfo,  
  
EventBridged,  
EventQueueLogout,  
  
EventReserved_1,  
EventReserved_2,  
EventReserved_3,
```

```
    EventReserved_4,  
    EventReserved_5,  
    EventReserved_6,  
    EventReserved_7,  
  
    EventCallCreated,  
    EventCallDataChanged,  
    EventCallDeleted,  
    EventCallPartyAdded,  
    EventCallPartyState,  
    EventCallPartyMoved,  
    EventCallPartyDeleted,  
  
    RequestStartCallMonitoring,  
    RequestStopCallMonitoring,  
  
    RequestSendReturnReceipt,  
    EventReturnReceipt,  
  
    RequestNetworkConsult,  
    RequestNetworkAlternate,  
    RequestNetworkTransfer,  
    RequestNetworkMerge,  
    RequestNetworkReconnect,  
    RequestNetworkSingleStepTransfer,  
    RequestNetworkPrivateService,  
    EventNetworkCallStatus,  
    EventNetworkPrivateInfo,  
  
    MessageIDMAX  
};
```

Comments

TMessageType is a unique identifier assigned to all types of requests and events.

MessageIDMAX defines the maximum value of a request.