



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Platform SDK Developer's Guide

TMuteTransfer

Contents

- 1 TMuteTransfer
 - 1.1 Description
 - 1.2 Parameters
 - 1.3 Return Values

TMuteTransfer

Description

Initiates a transfer of the call specified by the parameter `conn_id` from the telephony object specified by the parameter `dn` to the party specified by the parameter `destination`; completes the transfer without waiting for the destination party to pick it up. Releases the telephony object specified by the parameter `dn` from the call.

Parameters

Name	Description
<code>server</code>	Local server handle to the T-Server in question.
<code>dn</code>	Directory number of the telephony object on whose behalf the call is transferred.
<code>conn_id</code>	Connection identifier of the call that should be transferred.
<code>destination</code>	Directory number of the party the call is transferred to.
<code>location</code>	Name of the remote location in the form of <code><SwitchName></code> or <code><T-ServerApplicationName>@<SwitchName></code> .
<code>user_data</code>	A pointer to the user data that is to be attached to the call.
<code>reasons</code>	A pointer to a data structure that provides additional information associated with this action.
<code>extensions</code>	A pointer to an additional data structure. <code>TMuteTransfer()</code> uses the following extension: <code>ConsultUserData</code> .

Return Values

Standard (See [standard-return-values](#).)