



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Platform SDK Developer's Guide

TOpenServerX

Contents

- 1 TOpenServerX
 - 1.1 Description
 - 1.2 Parameters
 - 1.3 Return Values

TOpenServerX

Description

Opens a communication session to the T-Server specified by the `conn_param` argument, and designates the event-processing function to be invoked each time an event from T-Server is detected. Use this function (instead of `TOpenServer()` or `TOpenServerEx()`) to set up an ADDP-compliant connection to T-Server. ADDP provides timely detection of TCP/IP connections, or failures, where the TCP/IP itself fails to provide the same information in a timely manner.

Parameters

Name	Description
<code>conn_param</code>	A pointer to an XKVList type containing a description of the connection. The following table describes the information contained in this XKVList .
<code>dispatch_function</code>	A pointer to the function that will be called when an event from T-Server arrives.
<code>application_name</code>	A pointer to the application name.
<code>application_password</code>	A pointer to the string containing the tenant name and the tenant password separated by a slash (/).
<code>open_mode</code>	Set of flags specifying the mode in which the connection is open.

Return Values

`> 0` — A local server handle to the specific T-Server; in other words, a unique identifier assigned by T-Library to the connection between a client and T-Server. The handle is used subsequently to send requests to T-Server throughout this communication session.

`< 0` — Error condition. Returned to the application if the communication session with the T-Server could not be established.