



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Configuration Layer Objects Reference Guide

CfgDNGroup

Contents

- [1 CfgDNGroup](#)
 - [1.1 Description](#)
 - [1.2 Filter Keys](#)
 - [1.3 Attributes](#)
 - [1.4 Comments](#)
 - [1.5 XML Representation](#)
 - [1.6 See Also](#)

CfgDNGroup

Description

You can set up *Groups* of DNs for use in network-level routing algorithms and in some types of statistics. Consult solution-specific documentation to see if you need to set up DN Groups.

When you are specifying a DN Group, remember that the DNs comprising this group must have the same telephony event model.

Filter Keys

Filter Name	Type	Description
tenant_dbid	int	A unique identifier of a tenant. If specified, Configuration Server will return information only about the DN groups that belong to this tenant.
dn_group_type	int	Type of a DN group (see CfgDNGroupType). If specified, Configuration Server will return information only about the DN groups of this type.
dn_dbid	int	A unique identifier of a DN. If specified, Configuration Server will return information only about the DN groups this DN is assigned to.
state	int	Current state of a DN group (see CfgObjectState). If specified, Configuration Server will return information only about DN groups that are currently in this state.
name	string	Name of a DN group. Shall be specified as a character string. If specified, Configuration Server will return information only about the agent group(s) with that name.
dbid	int	A unique identifier of a group. If specified, Configuration Server will return information only about this group.

Attributes

- **groupInfo** — A pointer to the structure `[[CfgGroup[]` containing general information about this group. Mandatory.
- **type** — Type of this DN group. Once specified, cannot be changed. Refer to [CfgDNGroupType](#).
- **DNs** — A pointer to the list of the DNs that form this group (every item of this list is structured as [CfgDNInfo](#)).

Comments

The name of a DN group must be unique within the tenant, but can coincide with the names of access groups, place groups and agent groups of the same tenant.

The name of a DN group cannot be changed until there is at least one DN listed in this group. See DNs property.

Deletion of DN Group X will cause the following events set out in the order of arrival:

- Modification of groupDBID of all DNs that used DN Group X for number translation
- Deletion of DN Group X

XML Representation

Tip

This XML was created using the Configuration Server 7.5 schema.

```
<CfgDNGroup>
  <CfgGroup>
    <DBID value="124" />
    <tenantDBID value="101" />
    <name value="SomeDNs" />
    <capacityTableDBID value="0" />
    <quotaTableDBID value="0" />
    <state value="1" />
    <capacityRuleDBID value="0" />
    <siteDBID value="0" />
    <contractDBID value="0" />
  </CfgGroup>
  <type value="3" />
  <DNs>
    <CfgGroupDN>
      <DNDBID value="250" />
      <trunks value="0" />
    </CfgGroupDN>
  </DNs>
</CfgDNGroup>
```

```
<CfgGroupDN>
  <DNDBID value="270" />
  <trunks value="0" />
</CfgGroupDN>
</DNS>
</CfgDNGroup>
```

See Also

[CfgDeltaDNGroup](#)

[CfgDN](#)