



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Configuration Layer Objects Reference Guide

CfgFieldType

# CfgFieldType

## Values

| Mnemonic              | ID | Flag | Short Description    | Log Name         | Long Description                                     |
|-----------------------|----|------|----------------------|------------------|--|
| CFGFTNoFieldType0     |    | 0    | 'Unknown Field Type' | NoFieldType      | The value of corresponding parameter has not changed |
| CFGFTRecordID         | 1  | 0    | 'Record ID'          | RecordID         | Record Identifier                                    |
| CFGFTPhone            | 2  | 0    | 'Contact Info'       | Phone            | Phone  |
| CFGFTRecordType3      |    | 0    | 'Record Type'        | RecordType       | Record type  |
| CFGFTRecordStatus4    |    | 0    | 'Record Status'      | RecordStatus     | Record Status  |
| CFGFTDialResult       | 5  | 0    | 'Dialing Result'     | DialResult       | Dial Result  |
| CFGFTNumberOfAttempts |    | 0    | 'Number of Attempts' | NumberOfAttempts | Number of Attempts                                   |
| CFGFTScheduledTime    |    | 0    | 'Scheduled Time'     | ScheduledTime    | Scheduled Time                                       |
| CFGFTCallTime         | 8  | 0    | 'Call Time'          | CallTime         | Call Time  |
| CFGFTFrom             | 9  | 0    | 'From'               | From             | Start Time   |
| CFGFTUntil            | 10 | 0    | 'To'                 | Until            | End Time   |
| CFGFTTimeZone         | 11 | 0    | 'Time Zone'          | TimeZone         | Time Zone  |
| CFGFTCampaignID12     |    | 0    | 'Campaign'           | CampaignID       |  |
| CFGFTAgentID          | 13 | 0    | 'Agent'              | AgentID          | Agent Identifier                                     |
| CFGFTChainID          | 14 | 0    | 'Chain'              | ChainID          | Chain Identifier                                     |
| CFGFTNumberInChain15  |    | 0    | 'Number In Chain'    | NumberInChain    | Number in Chain                                      |
| CFGFTCustomField16    |    | 0    | 'User-Defined Field' | CustomField      | Customer field. Specified by customer                |
| CFGFTANI              | 17 | 0    | 'ANI'                | ANI              | Automatic Number Identification                      |
| CFGFTLATA             | 18 | 0    | 'LATA'               | LATA             | Local Access and Transport Area                      |
| CFGFTNPA              | 19 | 0    | 'NPA'                | NPA              | Numbering Plan Area                                  |
| CFGFTNPA_NXX          | 20 | 0    | 'NPA-NXX'            | NPA-NXX          | Numbering  |

| Mnemonic             | ID | Flag | Short Description    | Log Name        | Long Description  |
|----------------------|----|------|----------------------|-----------------|---|
|                      |    |      |                      |                 | plan Area with identifier of specific telephone company central office which serves that number |
| CFGFTStateCode       | 21 | 0    | 'State Code'         | StateCode       | State Code  |
| CFGFTInfoDigits      | 22 | 0    | 'Info Digits'        | InfoDigits      | Info digits   |
| CFGFTCountryCode     | 23 | 0    | 'Country Code'       | CountryCode     | Country Code  |
| CFGFTPhoneType       | 24 | 0    | 'Contact Info Type'  | PhoneType       | Type of phone set   |
| CFGFTGroupDBID       | 25 | 0    | 'Group'              | GroupDBID       | AgentGroup or PlaceGroup unique identifier  |
| CFGFTAppDBID         | 26 | 0    | 'Application'        | AppDBID         | Application unique identifier   |
| CFGFTTreatments      | 27 | 0    | 'Treatments History' | Treatments      | Treatments history  |
| CFGFTMediaReference  | 28 | 0    | 'Media Reference'    | MediaReference  | Reference to media body to be sent in case of treatment   |
| CFGFTEmailSubject    | 29 | 0    | 'E-mail Subject'     | EmailSubject    | Email Subject   |
| CFGFTEmailTemplateID | 30 | 0    | 'E-mail Template ID' | EmailTemplateID | Email Template ID   |
| CFGFTSwitchID        | 31 | 0    | 'Switch ID'          | SwitchID        | Switch ID   |

## Comments

The CfgFieldType is applicable for Configuration Library/Server release 5.1.5xx only.

FT in value name means belonging to CfgFieldType enumeration.