



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Configuration Layer Objects Reference Guide

CfgGVPReseller

Contents

- [1 CfgGVPReseller](#)
 - [1.1 Filter Keys](#)
 - [1.2 Attributes](#)
 - [1.3 See Also](#)

CfgGVPReseller

A *GVP Reseller* is a collection of GVP Customers.

Filter Keys

Filter Name	Type	Description
dbid	int	A unique identifier of a folder. If specified, Configuration Server will return information only about this folder.
name	string	Name of a GVP Reseller. Shall be specified as a character string. If specified, Configuration Server will return information only about the GVP Resellers with that name.
tenant_dbid	int	A unique identifier of a tenant. If specified, Configuration Server will return information only about the GVP Resellers that belong to this tenant.
state	int	Current state of a GVP Reseller (see type CfgObjectState). If specified, Configuration Server will return information only about GVP Resellers that are currently in this state.

Attributes

- DBID — An identifier of this object in the Configuration Database. Generated by Configuration Server and is unique within an object type. Identifiers of deleted objects are not used again. Read-only.
- tenantDBID — A unique identifier of the [CfgTenant](#) to which this GVP Reseller is allocated.
- name — A pointer to name of the GVP Reseller. Mandatory. Must be unique within the configuration database.
- displayName — A name for this GVP Reseller that appears on the console display
- startDate — The date when this GVP Reseller starts.
- isParentNSP — If CFGTrue, this GVP Reseller is a Parent Network Service Provider. Refer to [CfgFlag](#).
- timeZoneDBID — A [CfgTimeZone](#) associated with this GVP Reseller

- `notes` — Optional notes and information relevant for this GVP Reseller.
- `state` — Current object state. Mandatory. Refer to [CfgObjectState](#).
- `userProperties` — A pointer to the list of user-defined properties. Parameter `userProperties` has the following structure: Each key-value pair of the primary list (TKVList `*userProperties`) uses the key for the name of a user-defined section, and the value for a secondary list, that also has the TKVList structure and specifies the properties defined within that section.

See Also

[CfgDeltaGVPreSeller](#)

[CfgGVPCustomer](#)