



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Configuration Layer Objects Reference Guide

`CfgScheduledTask`

12/14/2025

Contents

- [1 CfgScheduledTask](#)
 - [1.1 Description](#)
 - [1.2 Filter Keys](#)
 - [1.3 Attributes](#)
 - [1.4 See Also](#)

CfgScheduledTask

Description

A *Scheduled Task* is a GVP Object in which you schedule the GVP tasks

Filter Keys

Filter Name	Type	Description
task_type	int	Type of the ScheduledTask (see CfgTaskType). If specified, Configuration Server will return information only about the ScheduledTasks of this type.
state	int	Current state of a ScheduledTask (see CfgObjectState). If specified, Configuration Server will return information only about ScheduledTasks that are currently in this state.
name	string	Name of a ScheduledTask. Shall be specified as a character string. If specified, Configuration Server will return information only about the ScheduledTask(s) with that name.
dbid	int	A unique identifier of a ScheduledTask. If specified, Configuration Server will return information only about this ScheduledTask.

Attributes

- **DBID** — An identifier of this object in the Configuration Database. Generated by Configuration Server and is unique within an object type. Identifiers of deleted objects are not used again. Read-only.
- **name** — A pointer to name of the *ScheduledTask*. Mandatory. Must be unique within the Configuration Database.
- **type** — Type of the *ScheduledTask*. Mandatory. Once specified, cannot be changed. See type [CfgTaskType](#).

- `description` — An optional short description of this *ScheduledTask*.
- `startTime` — The time the task is to begin.
- `resources` — A pointer to the list of the objects associated with this *ScheduledTask* (every item of this list is structured as *CfgObjectResource*).
When used as an entry in *CfgDeltaScheduledTask*, it is a pointer to a list of resources added to the existing list. Only objects of the following types can be associated with *ScheduledTask* object through resources:
 - *CfgHost*
 - *CfgSwitch*
 - *CfgGVPCustomer*
- `state` — Current object state. Mandatory. Refer to *CfgObjectState*.
- `userProperties` — A pointer to the list of user-defined properties. Parameter `userProperties` has the following structure: Each key-value pair of the primary list (*TKVList *userProperties*) uses the key for the name of a user-defined section, and the value for a secondary list, that also has the *TKVList* structure and specifies the properties defined within that section.

See Also

CfgDeltaScheduledTask