



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# T-Server Reference Guide

TOpenServerEx

4/22/2025

---

## Contents

- 1 TOpenServerEx
  - 1.1 Description
  - 1.2 Parameters
  - 1.3 Return Values

# TOpenServerEx

## Description

Opens a communication session to the T-Server specified by the parameters `server_host_name` and `server_port`, which are taken from Configuration Server. It designates the event-processing function that will be invoked each time an event from T-Server is detected.

Use the `TOpenServerEx()` function (rather than `TOpenServer()`) to reconnect after a T-Server session has been unexpectedly disconnected or if an application already knows the parameters `server_host_name` and `server_port`.

## Parameters

Name	Description
<code>server_host_name</code>	A pointer to the host name of T-Server to be contacted.
<code>server_port</code>	The port number.
<code>dispatch_function</code>	A pointer to the function that will be called when an event from T-Server arrives.
<code>application_name</code>	A pointer to the application name.
<code>application_password</code>	A pointer to the string containing the tenant name and the tenant password separated by a slash (/).
<code>open_mode</code>	Communication mode (synchronous or asynchronous). Refer to the type <code>TOpenMode</code> for information on the implications of using one mode versus the other.

## Return Values

> 0 - A local server handle to the specific T-Server; in other words, a unique identifier assigned by T-Library to the connection between a client and T-Server. The handle will be used subsequently to send requests to T-Server throughout this communication session.

< 0 - Error condition. Returned to the application if the communication session with the T-Server could not be established.