



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

T-Server Reference Guide

TScanServerMode

4/30/2025

TScanServerMode

Syntax

```
typedef enum {  
    TSCAN_MODE_DEFAULT,  
    TSCAN_MODE_SYNC,  
    TSCAN_MODE_ASYNC,  
    TSCAN_MODE_CONNECT,  
    TSCAN_MODE_WRITE,  
    TSCAN_MODE_WRITE_ALL  
} TScanServerMode;
```

Values

- **TSCAN_MODE_DEFAULT** — Use with SyncMode connections. This provides the same functionality as `TScanServer()`, with the addition of processing ADDP timeouts, if ADDP protocol is configured.
- **TSCAN_MODE_SYNC** — Provides the same functionality as **TSCAN_MODE_DEFAULT**.
- **TSCAN_MODE_ASYNC** — Use with AsyncMode connections. In this case, `TScanServerEx()` also sends pending messages for a given server, if applicable.
- **TSCAN_MODE_CONNECT** — Use after `TOpenServer()` to wait for a connection that is opening in asynchronous mode so that the connection is properly opened and registered.

Important

This mode is deprecated, and remains available primarily for backward compatibility. **TSCAN_MODE_ASYNC** should be used for AsyncMode connections in most cases.

- **TSCAN_MODE_WRITE** — When added to **TSCAN_MODE_SYNC**, pending messages for a given server are sent. This parameter does not affect **TSCAN_MODE_ASYNC**.
- **TSCAN_MODE_WRITE_ALL** — When added to either **TSCAN_MODE_SYNC** or **TSCAN_MODE_ASYNC**, pending messages for all registered connections are sent.