



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

T-Server Reference Guide

TXRouteType

TXRouteType

Syntax

```
typedef enum {
    XRouteTypeDefault          = -1,
    XRouteTypeMIN              = 0,
    XRouteTypeRoute            = 0,
    XRouteTypeDirect           = 1,
    XRouteTypeReroute          = 2,
    XRouteTypeDirectUUI        = 3,
    XRouteTypeDirectANI        = 4,
    XRouteTypeDirectNoToken    = 5,
    XRouteTypeDNISPooling      = 6,
    XRouteTypeDirectDigits     = 7,
    XRouteTypePullBack         = 8,
    XRouteTypeExtProtocol      = 9,
    XRouteTypeRouteUUI         = 10,
    XRouteTypeMAX
} TXRouteType;
```

Values

- XRouteTypeRoute — Specifies ISCC strategy type route.
- XRouteTypeDirect — Specifies ISCC strategy type direct-callid.
- XRouteTypeMIN — For internal use only.
- XRouteTypeReroute — Specifies ISCC strategy type reroute.
- XRouteTypeDirectUUI — Specifies ISCC strategy type direct-uui.
- XRouteTypeDirectANI — Specifies ISCC strategy type direct-ani.
- XRouteTypeDirectNoToken — Specifies ISCC strategy type direct-notoken.
- XRouteTypeDNISPooling — Specifies ISCC strategy type dnis-pool.
- XRouteTypeDirectDigits — Specifies ISCC strategy type direct-digits.
- XRouteTypePullBack — Specifies ISCC strategy type pullback.
- XRouteTypeExtProtocol — Specifies ISCC strategy type defined by ISCC parameters.
- XRouteTypeRouteUUI — Specifies ISCC strategy type route-uui.
- XRouteTypeMAX — For internal use only.