

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Mobile Services

8.5.230.06

# 8.5.230.06

# Genesys Mobile Services Release Notes

Release Date	Release Type	Restrictions	AIX	Linux	Solaris	Windows
01/14/22	General			Χ		Χ

## Contents

- 18.5.230.06
  - 1.1 Helpful Links
  - 1.2 What's New
  - 1.3 Resolved Issues
  - 1.4 Upgrade Notes

## What's New

This release contains the following new features and enhancements:

- Support for Cassandra 4.0. For deployment information, see Configuring an External Cassandra. (GMS-8402)
- Support for Chat V2 push notification without Cassandra. GMS can now send push notifications (custom-http) using the Chat V2 API when GMS is deployed in chat-only mode, that is, with no connection to Cassandra. (GMS-8542)

## Helpful Links

#### Releases Info

- List of 8.5.x Releases
- 8.5.x Known Issues

**Product Documentation** 

**Genesys Mobile Services** 

**Genesys Products** 

List of Release Notes

## Resolved Issues

This release contains the following resolved issues:

GMS may pause sessions if the conditions of the \_do\_not\_call\_items service option are met and it does not coincide with the operation hours. Now, in this scenario, you can resume or abandon/fail sessions using the following events:

- resume\_session—Continue the session and disable the \_do\_not\_call\_items option for the session.
- fail\_session—Exit the session.

To send the resume session event to the Callback session, use the following request:

#### On GMS (Forward API):

 $\$  curl -v http://<GMS server: GMS port>/genesys/1/ors/scxml/session/<ORS session id>/event/resume\_session

#### On ORS:

\$ curl -v http://<ORS server: ORS port>/scxml/session/<ORS session id>/event/resume\_session

To send the fail\_session event to the Callback session, use the following request:

#### On GMS (Forward API):

 $\$  curl -v http://<GMS server: GMS port>/genesys/l/ors/scxml/session/<ORS session id>/event/fail\_session

#### On ORS:

\$ curl -v http://<ORS server: ORS port>/scxml/session/<ORS session id>/event/fail\_session

### (GMS-8490)

This release includes important security fixes related to the CVE-2021-45105 vulnerability. In particular, the Apache log4j 2 version has been upgraded to 2.17.1. (GMS-8566)

# Upgrade Notes

Further instructions are available in the upgrade section of the *Genesys Mobile Service Deployment Guide*.