



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Social Media Plug-in for Workspace

8.5.400.77

8.5.400.77

Social Media Plug-in for Workspace Release Notes

Release Date	Release Type	Restrictions	AIX	Linux	Solaris	Windows
10/20/16	General					X

Contents

- **1 8.5.400.77**
 - 1.1 Helpful Links
 - 1.2 What's New
 - 1.3 Resolved Issues
 - 1.4 Upgrade Notes

What's New

This release contains the following new features and enhancements:

- When setting up or updating Twitter and Facebook channels, you can select **Do not store personal data** to ensure the obfuscation of personal data (Personally Identifiable Information) from Twitter and Facebook messages after the on-premise Twitter and Facebook drivers fetch the data.
- Tweets now display as expected, without counting images as part of the 140-character limit.
- Inbound and outbound Twitter and Facebook interactions now support Unicode 6 emojis from an installed font such as Segoe UI Emoji.
To enable emojis, you must:
 1. Add the following parameters to the Social Messaging Server init file **JavaServerStarter.ini** under the [JavaArgs] section:
-Dfile.encoding=UTF-8

-Dfile.client.encoding=UTF-8

-Dclient.encoding.override=UTF-8

WARNING: To avoid data corruption, you must ensure that all components in the chain of communication use UTF-8 encoding.
 2. Install the font Segoe UI Emoji from <http://www.myfontfree.com/segoeuiemoji-myfontfreecom126f132714.htm>
 3. Set the font name and font size for Twitter inbound interaction text and the font name for Twitter outbound interaction text by adding these options to the WDE configuration settings under the "interaction-workspace" section:
twitter.font-name="Segoe UI Emoji"

twitter.font-size=[specify font size if you need to change the default of 14]
 4. Set the font name and font size for Facebook inbound interaction text and font name for Facebook outbound interaction text by adding these options to the WDE configuration settings under the "interaction-workspace" section:
facebook.font-name="Segoe UI Emoji"

facebook.font-size=[specify font size if you need to change the default of 14]
- Agents can now use the History tab to address a Twitter interaction already marked as Done. They can Reply, Reply All, Retweet, Retweet With Comments, or mark it as a Favorite.
- The Facebook channel now supports emoticons and displays Unicode 6 emoji characters to represent the emoticons. **Prerequisite:** Configure emoji support as specified in the entry above.

The related map between emoticons and emojis is defined in the file **EmoticonsEmojis.xml**, where you can add, update, or remove emoticon-

Helpful Links

Releases Info

- [List of 8.5.x Releases](#)
- [8.5.x Known Issues](#)

Product Documentation

eServices

Genesys Products

[List of Release Notes](#)

emoji pairs. After editing this file, you must restart WDE.

Resolved Issues

This release contains the following resolved issues:

The plugin now correctly restores Facebook comments after a suspension of the Facebook channel. (SMD-3470)

When Facebook messages do not include user details, users now see "Username Privacy-Protected" rather than "unidentified" or "null". (SMD-3385)

Upgrade Notes

No special procedure is required to upgrade to release 8.5.400.77.