

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Pulse Collector

8.5.101.04

8.5.101.04

Genesys Pulse Collector Release Notes

	Release Date	Release Type	Restrictions	AIX	Linux	Solaris	Windows	
(06/11/15	General			Χ		Χ	

Contents

- 18.5.101.04
 - 1.1 Helpful Links
 - 1.2 What's New
 - 1.3 Resolved Issues
 - 1.4 Upgrade Notes
 - 1.5 Supported Languages

What's New

This release contains only resolved issues.

Helpful Links

Releases Info

- List of 8.5.x Releases
- 8.5.x Known Issues

Resolved Issues

Both Genesys Pulse Collector and GAX must be installed on the same host. Genesys does not support deploying components of Genesys Pulse onto different hosts and using shared folders for transferring snapshots. If you use Genesys Pulse Collector Cluster configuration, you must configure the WebDav server to share the snapshot across nodes. (WBRT-5438)

Product Documentation

Genesys Pulse Collector

Genesys Products

List of Release Notes

Genesys Pulse Collector no longer exits unexpectedly when all the options are removed from the Collector application in configuration while Collector is still running. (WBRT-5391)

Genesys Pulse Collector no longer hangs when you stop it through SCS or by using Ctrl+C. (WBRT-5377)

Genesys Pulse Collector now correctly requests statistics of CurrentState, CurrentTargetState, and CurrentStateReasons categories. (WBRT-5328)

Upgrade Notes

Refer to the Deployment Procedure for this release to deploy the installation package within your environment.

Supported Languages

See Release 8.5.1 Translation Support.