



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Stat Server User's Guide

CurrentState Categories

CurrentState Categories

Contents

- **1 CurrentState Categories**
 - **1.1 CurrentState**
 - **1.2 CurrentStateReasons**
 - **1.3 CurrentTargetState**

Current state statistical categories do not return numeric values, but rather return a structure containing current action and status information for agents, places, and groups against all Genesys-defined media types. There are three current state statistical categories:

- CurrentState
- CurrentStateReasons
- CurrentTargetState

Tip

The structure of current-state categories might be of more interest to developers than to other types of end users. For this reason, partial structure definitions are provided to help illustrate functionality.

CurrentState


The format of the returned structure for the CurrentState statistical category depends on the object and subject of the statistic and can be represented as a tree. See the *CurrentState* figure below.

The root of the tree always corresponds to the stated object of the statistic, all nodes correspond to underlying objects in the [DN Action Propagation Hierarchy](#), and the terminal nodes are always at the level of the stated subject of the statistic.

The Object statistical parameter determines whether Group CurrentState or Agent CurrentState is sent. Place-Group CurrentState has the same format as Agent-Group CurrentState. Place CurrentState has the same format as Agent CurrentState.

The Subject statistical parameter determines the depth of the tree:

- if Subject = DNAction, the tree is expanded down to DN actions;
- if Subject = DNStatus, the tree is expanded down to DN statuses; etc.



CurrentState

Starting with release 8.5.109, Stat Server maps the content of the attribute_reason_desc from Interaction Server events to the value of the ReasonValue key in a UserData key-value list with the statistical parameter Subject defined as DNAction or Action.

CurrentStateReasons

Starting with release 6.5, Stat Server provides the CurrentStateReasons category to support the reasons that agents place themselves in certain agent statuses (such as WaitForNextCall, NotReadyForNextCall, and AfterCallWork). Reasons can change within the same agent status. If it is likely that the agents within your contact center will change the reason they entered a particular agent status within that same agent status, and if you want Stat Server to measure such changes, consider setting the ReasonStartOverridesStatusStart stat type option (described in the [Stat Type Configuration Options](#) table) to yes to change the timestamp for the tmStart field. This statistical category applies only to stat types that have Agent and/or GroupAgents designated as their objects.

In addition to providing current status information for agents and agent groups, this statistical category also can store reasons for non-interaction-related statuses in key-value list format, if the underlying T-Server supports reasons. For some agent statuses (Ready, NotReady, AfterCallWork) in

which DNs have the same such status, Stat Server collects reasons from the Reason field of the corresponding TEvent and/or the Extension field of the TEvent's ReasonCode key.

Figure below illustrates the structures that support this statistical category.



The Agent CurrentStateReasons

Tip

- Not all T-Servers support reasons. Please refer to the appropriate T-Server manual for more details.
- The Subject has to be set to DNAction for monitoring reasons changes.

Starting with release 8.5.109, Stat Server maps the content of the attribute_reason_desc from Interaction Server events to the value of the ReasonValue key in a Reasons key-value list.

CurrentTargetState

The CurrentTargetState statistical category is reported using the following two structures that include multimedia-capacity information about agent, place, agent group, and place group states:

- Snapshot
- Delta

Stat Server returns the Snapshot structure as its initial response when a client requests a statistic using the CurrentTargetState category. In general, it includes the array of Target structures, where each structure corresponds to a single routing Target (Agent or Place) If Object is Agent or Place, the array contains a single Target structure. Stat Server sends subsequent notifications (Target added/changed/removed—the first two are sent only if a statistic is requested for agent group or place group) using the Delta structure, which contains the (changed) Target and the list of associated statistical requests.

Important

The CurrentTargetState statistical category is only available for the OpenStat request with the ChangesBasedNotification mode. The GetStat or the PeekStat request is not applicable to that category.

Consider the following situation:


- Agent is associated with place (via login into DN belonging to that place)
- Agent belongs to an agent group(s)
- Place belongs to a place group(s)
- CurrentTargetState statistic is requested for the Agent, Place, agent-group(s), place(groups)

For 8.1.0⁻ release, the single ("atomic") response is sent for all (associated) requests above.

For 8.1.2⁺ release, two responses are sent:

- one for the Place and place groups
- another for the Agent and agent groups

Figure below illustrates CurrentTargetState.



The CurrentTargetState

The method of propagation of agent/place/group state information using this statistical category is somewhat different from that used by the CurrentState category. Instead of sending notifications on a statistic-by-statistic basis, Stat Server first determines all of the statistics affected by the change in agent/place /group state and then sends one notification for all of them. In this manner, client decisions—routing strategies, for example—can equally distribute interactions among available resources. For this reason, the TimeBased notification mode does not apply to this category.