



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

SIP Endpoint SDK Deployment Guide

Installing SIP Endpoint SDK for Apple OS

12/19/2025

Installing SIP Endpoint SDK for Apple OS

Warning

This documentation is outdated and is included for historical purposes only.

Contents

- [1 Installing SIP Endpoint SDK for Apple OS](#)
 - [1.1 Prerequisites](#)
 - [1.2 Procedure](#)

Prerequisites

- Check the list of [environment prerequisites](#), and confirm that your system meets these standards prior to installing SIP Endpoint SDK.

Procedure

Start of procedure

1. Copy the zip archive containing the SIP Endpoint SDK for Apple OS from your product CD to your desired installation location.
2. Unzip the archive.
3. Copy the `ip_description.xml` and `read_me.html` files from your product CD into the root level of the unzipped archive.
4. Copy the `Log4Cocoa.framework` and `SipEndpoint.framework` folders located in the `Bin` folder of your installation to the `/Library/Frameworks` folder on your computer.
5. Copy the `libresample.dylib.1` file located in the `ThirdParty` folder of your installation to the `/usr/lib` folder on your computer.

End of procedure Next Steps

- To review the installation of your SIP Endpoint SDK files, continue by [verifying the installed components](#).