



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

SIP Endpoint SDK Developer's Guide

SIP Endpoint SDK for OS X QuickStart Application

SIP Endpoint SDK for OS X QuickStart Application

Important

The following features are not supported:

- Video
- IPv6
- NAT, ICE, TURN, STUN
- SIP Cluster
- SIP Proxy

The easiest way to start using the SIP Endpoint SDK for OS X is with the bundled QuickStart application. This application ships in the same folder as the SDK and is supplied as both a double-clickable application in the /Bin folder and as source code in the form of an Xcode project located in the QuickStart/Src folder.

Running the QuickStart Application

You can try out the QuickStart application by running `/Bin/QuickStart.app`:

1. Set your **configuration settings** by editing `/Bin/SipEndpoint.config`.
2. Open and run `/Bin/QuickStart.app`.

Rebuilding the QuickStart Application from the Xcode Project

You can modify the QuickStart application by opening the QuickStart Xcode project, `/QuickStart/Src/QuickStart.xcodeproj`.

Before running your modified QuickStart application, you need to rebuild it in Xcode.

At that point, you can either run the application from within Xcode or you can double-click the application that is contained in the /Bin folder. When you rebuild the QuickStart project, the `/Bin/Quickstart.app` file is replaced with your modified QuickStart application.