



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

SpeechMiner Upgrade Guide

SpeechMiner 8.0 to 8.1 Upgrade Procedure

12/19/2025

SpeechMiner 8.0 to 8.1 Upgrade Procedure

This document explains how to upgrade SpeechMiner from version 8.0 to version 8.1.

Pre-upgrade Requirements

- Request the most recent release of the 8.5 software from your Genesys representative.
- Request the SpeechMiner license from [Genesys Licensing](#).

Upgrade Checklist

The following checklist summarizes all the procedures required for upgrading SpeechMiner. Make sure to complete all of the required procedures.

Item to Check	Details
Storage Requirements	To successfully complete the upgrade process, the data partition in the SQL server must have available disk space. The minimum required storage for the upgrade should be twice the size of the production database .mdf file.
Perform Pre-upgrade Tests	<p>Since upgrading SpeechMiner can take several hours it is important to avoid delays. For this reason, it is recommended to test SMUpgrade before you begin the upgrade procedure.</p> <p>To test SMUpgrade, perform one of the following:</p> <ul style="list-style-type: none">• Create a copy of the database and send it to your Genesys counterpart. Genesys will test the SMUpgrade process in a lab environment.• Create a copy of the database on a separate SQL server. Provide your Genesys counterpart with the details of the SQL server and Genesys will test the SMUpgrade process on this temporary server.
Check for Customization	If any customizations were implemented on your DB, make sure that they are part of the new version, or that they can be used in the new version without changes. Contact Genesys Customer Care for assistance.
Purging Old Data	Most systems have a data retention policy in place. Data (for example, audio, exploration data, and so on) that is older than the specified period of time is

Item to Check	Details
	automatically deleted. In these cases, it is recommended to purge the old data before performing the upgrade. Deleting the data before the upgrade will reduce both the time it takes to run the upgrade process and the storage-space requirements.

Rollback Plan

To ensure that you can revert back to SpeechMiner 8.0, keep the 8.0 DB active on the server, rather than just keeping a backup file.

Do not delete the 8.0 data folders (index, grammars, etc.). Instead, configure the 8.1 system with new data folders. Creating new folders ensures that you will not lose 8.0 data.

Since the 8.0 DB and data folders are saved and available, back-out steps are not required if problems arise with the upgrade process before you uninstall 8.0. The 8.0 system should still be configured and functional.

After you uninstall SpeechMiner 8.0 and install SpeechMiner 8.1, the only way to revert back to 8.0 is to install 8.0 again and update the config files using SMConfig. However, since the DB and data folders would not have been deleted, they should be available and ready to use without changing the system configuration.

Upgrade Procedure

The following table lists the approximate times required to complete the upgrade steps:

Step	Time
Stop the system (step 1)	15 minutes
Backup the database (step 2)	120 minutes
Create target database (step 3)	30 minutes
Run SMUpgrade (steps 6 to 13)	10 to 20 hours
Configuring and starting the system (steps 14 to end)	60 minutes

1. Using SMConfig->Services->Stop Services, stop the 8.0 system.
2. Create a copy of the source DB and upgrade it to the latest build:
The source DB must be version 8.0. Refer to the versionTbl table to determine the correct version. If the source DB is not the latest build and you do not want to update it to the latest build, create a copy of the source DB and update the copy to the latest build.

Important

These steps are necessary because the 8.0 DB schema needs to be updated to the latest schema in order for the rest of the upgrade process to succeed.

Use the copy of the source DB as the baseline for the 8.1 upgrade.

- a. Back up the 8.0 index folder to a backup folder (see [Configuring SpeechMiner—Index](#)).
 - b. Create a copy of the source DB (back up the DB and then restore it in another location).
 - c. Configure the copy of the DB with the Index backup. This will be the baseline for the upgrade.
 - d. Implement the schema changes on the baseline DB to bring the schema into line with the latest 8.0 build version. For this step you will need assistance from Genesys Customer Care. Contact [Customer Care](#) for assistance.
3. Create the 8.1 target DB as follows:
- Manually—Refer to [Installing the SpeechMiner Database](#) > **Manual** tab.
- Or
- Setup Wizard— Refer to [Installing the SpeechMiner Database](#) > **Setup Wizard** tab.
4. If the MS-SQL server is an Enterprise Edition, run EXEC sp_create_DB_storage_partitions on the target database.
5. If your source and target databases are on different servers, make sure the servers are linked in both directions, using the stored procedures sp_addlinkedserver and sp_addlinkedsrvlogin, as needed.
6. Install and run SMUpgrade (to migrate the data from the 8.0 DB to the 8.1 DB), as follows:

Prerequisites:

- When migrating a large database, make sure that the hard drive that hosts the target database has enough storage space.

Usage

- a. Query the versionTbl table to ensure that your 8.0 source database is updated to the latest 8.0 schema.
- b. Verify that your recovery model is either Simple or Bulk-logged. To determine which recovery model you have, right click db > properties > options > recovery model.
- c. Use the [SpeechMiner Installer](#) to install the SMUpgrade component. It is recommended to install and run the SMUpgrade component on the SQL server.

- d. Configure the following in the \utopy\tools\bin\release\SMUpgrade.exe.config file:

- file locations
- tables to skip (comma separated list)
- number of threads running concurrently on a large table
- bulk copy usage

It is recommended that the bulk-load folder be located on the SQL server. The bulk-load folder must be shared and the user running the SQL server service must have full control over it.

If you do not set the bulk copy usage, the callAudioTbl upgrade will take up to two times longer on a large DB.

Only use the skip-tables configuration if specifically requested by Genesys Customer Care

```
<appSettings>
<add key="ErrorLogFile" value=".\SMUpgradeLog.txt" />
<add key="LogFile" value=".\tableLog.txt" />
<add key="TimingsFile" value=".\tableTimings.txt" />
<add key="SkipTables" value="callTasksTbl" />
<add key="NumThreads" value="10" />
<!-- <add key="bulkpath" value="[PATH]" /> -->
</appSettings>
```

- e. Run SMUpgrade.exe.
Log in and select the appropriate 8.0 source and 8.1 destination databases.

Important

It is highly recommended to use the sa credentials or a user account with bulk insert permissions.
The user account must belong to the db_owner role in the target database. By default, the DBUser does not include the db_owner role.

- f. The GUI shades the tables as follows:

- **Green**—The table is finished. Both the source and the target DBs contain the same number of records. This conclusively shows that either the data has been copied or there is no data to copy.
- **Yellow**—The number of records in the source and target DBs is not indicative of whether the data in both DBs is identical or not. It is therefore not known whether the table is finished or not.
- **Red**—The table is not finished. The number of records in the source and target databases are not the same, and indicating that the data has not been copied in full.

- g. Click **Full Upgrade** to run the upgrade, or **Resume Last** if your previous upgrade was interrupted.

Resuming the last upgrade will shorten the time to run, but might cause problems. To avoid such problems, restore the database again and run the full upgrade. You can also define tables to skip in the configuration file. Every step in the upgrade process is shown in the GUI.

You can stop the upgrade by clicking the **Close** button. You will be prompted to confirm your action. Note that the window closes immediately, but the process still runs for a while, as it needs to re-enable the indexes it disables when it starts running.

The time each step took is written to the **TimingsFile**. The location of this file is defined in the configuration file.

IN CASE OF FAILURE: Review all status, error and exception notifications in the **ErrorLogFile**.

- h. Continue with the upgrade instructions below.

7. If the SpeechMiner Maintenance Job exists, and the **Update time table** step is included, delete the **Update time table** step. Make sure the last step in the job is set to quit the job upon both success and failure.
8. Optional: Uninstall 8.0 from all servers. The two versions (8.0 and 8.1) cannot be running side by side at the same time. Only one version can be registered as the active SpeechMiner service on each server. The installation binaries can be left on the server.
9. Install the 8.1 **platform** on all servers.
10. Install 8.1 **Web** on the Web server.
11. Install 8.1 **SMART** on users' desktops, as required.
12. Deploy **SQLCLR** on the DB server.
13. Update the package folders with the 8.1 **.gram** files. The **.gram** files are located in the <Installation Folder>/Support/Grammars.
Alternatively, if you have not made changes to any file in these folders, you can delete their content completely. SMConfig will copy the grammar files to <Installation folder>/Support/Grammars.
14. Run SMConfig.
 - a. Configure the **Sites & Machines** panel as necessary, and save the changes. Make sure you save this panel even if you have not made any changes.
 - b. Configure the **Services** panel and save the changes. Do not start any of the services.
 - c. Configure the **Index** panel and save the changes.
 - d. Update the SpeechMiner **license** with the new 8.1 licenses provided by **Genesys Licensing**.
 - e. In the **Reports** panel, update the **MRSLibrary.dll** on the report server.
 - f. Deploy the reports to the report server.
15. Start SMART and perform the following:
 - a. Right-click on each active Program icon and choose **Activate program**. This will mark all the Programs, Topics, and Categories as changed.
 - b. Click the **Apply** button.

- c. In the new Apply popup window, choose Apply all.
 - d. Click the Apply button.
16. Using SMConfig, start the UPlatform services on all the servers.
17. Update the Stored Procedures by coping any existing custom Stored Procedures from the 8.0 DB to the 8.1 DB.
It is not necessary to copy Stored Procedures that are used by gauges, and are in the GaugeWidgetProcedures table, because they are copied automatically.
18. Open the SpeechMiner web-based interface and test the functionality.
19. Update the Database Jobs:
 - All database jobs that point to the 8.0 DB should be changed to point to the new 8.1 DB. Examples of DB jobs that might need to be changed:
 - DB maintenance job
 - sp_agentFilterCleanByDays
 - sp_updateUntilYesterdayMaxChannels

To change a DB job, it is recommended that you edit the Job Step property using the SQL Management studio.
20. In the SpeechMiner web-based interface, manually reschedule and 8.0 reports that should continue to run on a scheduled basis.

Deprecated Reports

The following reports were deprecated in 8.1:

- Audit Analysis v4
- Call List v4
- First Topic Distribution v2
- MINI_System Load
- Monitor System
- Predictive Elements v4
- Program Distribution v4
- Topic Call List v2
- User Management