



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Log File Management Tool Deployment and User's Guide

Site Configuration

5/1/2025

Site Configuration


This section describes how to associate a specific group of CME Hosts/Applications to an LFMT **Site**.

For each LFMT **Site**, a separate LFMT Collector/Indexer pair of LFMT Applications must exist.

It is recommended that each set of LFMT **Site** Hosts/Applications reside in the same geographical location; i.e. do not add the APAC Hosts/Applications to the EMEA Site.

Associating CME Hosts/Applications to an LFMT Site

1. In Genesys Administrator Extension, from the **LFMT** tile/panel, select **Site Configuration**



2. Choose a **Site** (i.e. "APAC" or "EMEA") from the drop-down list.

Site Configuration

Site:

Environment

>

☐

cc-app-dev-demo-1

>

☐

cc-app-dev-demo-2

>

☒

cc-app-dev-demo-3

>

☐

cc-app-dev-demo-4

Save

3. **Select** the checkboxes beside the CME Hosts/Applications that you would like to assign to the Site.

Site Configuration

Site:

Environment

>

☐

cc-app-dev-demo-1

>

☐

cc-app-dev-demo-2

>

☒

cc-app-dev-demo-3

☐

LCA_cc_app_dev_demo_3

☐

LFMT_WBA_DEMO3

☒

sip

☒

stat

☒

urs

>

☐

cc-app-dev-demo-4

4. Click the **Save** button.

Important

- If a CME Host or Application does not appear in the Site Configuration list, ensure the following:
 - The expected missing Application has the **[log]** section configured with the option **all** in its configuration
 - The user logged into GAX has **READ** permissions for the missing CME Host/ Application Objects.

Important

- Only Hosts/Applications assigned to an LFMT Site appear for lists in other LFMT Client sections.