



Skills Management 8.5.648

Invoker Service Manual Installation Guide

Information contained herein is proprietary and confidential and cannot be disclosed or duplicated without the prior written consent of Genesys Telecommunications Laboratories, Inc.

Copyright © 2017 Genesys Telecommunications Laboratories, Inc. All rights reserved.

About Genesys

Genesys is the world's leading provider of customer service and contact software - with more than 4,000 customers in 80 countries. Drawing on its more than 20 years of customer service innovation and experience, Genesys is uniquely positioned to help companies bring their people, insights and customer channels together to effectively drive today's customer conversation. Genesys software directs more than 100 million interactions every day, maximizing the value of customer engagement and differentiating the experience by driving personalization and multi-channel customer service - and extending customer service across the enterprise to optimize processes and the performance of customer-facing employees. Go to www.genesys.com for more information.

Each product has its own documentation for online viewing at the Genesys Documentation website.

Notice

Although reasonable effort is made to ensure that the information in this document is complete and accurate at the time of release, Genesys Telecommunications Laboratories, Inc. cannot assume responsibility for any existing errors. Changes and/or corrections to the information contained in this document may be incorporated in future versions.

Your Responsibility for Your System's Security

You are responsible for the security of your system. Product administration to prevent unauthorized use is your responsibility. Your system administrator should read all documents provided with this product to fully understand the features available that reduce your risk of incurring charges for unlicensed use of Genesys products.

Trademarks

Genesys and the Genesys logo are registered trademarks of Genesys Telecommunications Laboratories, Inc. All other company names and logos may be trademarks or registered trademarks of their respective holders. © 2017 Genesys Telecommunications Laboratories, Inc. All rights reserved.

Technical Support from VARs

If you have purchased support from a value-added reseller (VAR), please contact the VAR for technical support.

Ordering and Licensing Information

Complete information on ordering and licensing Genesys products can be found in the [Genesys Licensing Guide](#).

Released by: Genesys Telecommunications Laboratories, Inc. <http://www.genesys.com/>

Document Version: 85_skillsmanagement_invoker-service-manual-install__06-2017_v8.5.642.0

Contents

1	Prerequisites	4
2	Service account considerations	5
2.1.1	Local user account.....	5
2.1.2	Domain user account	5
3	Steps	6
3.1.1	Configure the Services.Invoker.exe.config file.....	6
3.1.2	Install the service	6
3.1.3	Check service credentials	7
4	Manually uninstalling the Invoker Service	8

1 Prerequisites

- The account that is specified during the installation under which the Invoker Service will run must have permissions to run as a service (see below).
- The Invoker Service Installer batch file must be present alongside the Invoker.exe
- The batch file must be run from an elevated command prompt (i.e. as an Administrator)
 1. DO NOT right click on the batch file and select Run as Administrator. You'll need to start an elevated command prompt and change directory to the directory holding the InstallInvokerService.bat and the Services.Invoker.exe

2 Service account considerations

The user account used to run the Skills Management services must have log on as a service rights. You can use a local machine account for this provided that:

1. The computer is not a member of a domain

or
2. The computer is a member of a domain and there is no group policy defining which accounts are able to log on as a service.

In the latter case, you **must** use a domain account as the service account.

2.1.1 Local user account

To give an existing local user account permissions to logon as a service:

3. Run **secpol.msc** or open **Local Security Policy** from **Control Panel / Administrative Tools**
4. In the left pane, expand **Local Policies** and select **User Rights Assignment**
5. On the right, locate the **Logon as a service** entry, and double-click on it.
6. If the user account in question does not appear in the list, add it using the **Add User or Group** option.
7. Click **OK** to close the dialog.

2.1.2 Domain user account

Your domain administrator will need to allow the account in question permissions to log on as a service.

3 Steps

3.1.1 Configure the `Services.Invoker.exe.config` file

Copy the **Services.Invoker** folder from the install package to a location on the server.

Open the **Services.Invoker.exe.config** file with Notepad or similar text editor.

In the **appSettings** section:

- Edit the value of the **LogPath** element to the folder that you want the service to use for storing log files
- If you wish, edit the **Verbosity** value to modify the detail level of the logs. The options are (from most detailed to least detailed): Trace, Debug, Info, Warning, Error and Fatal.
- Edit the value of the **TimerFrequencySecs** to affect how frequently the Service polls for new events to process (value is in seconds).

In the **client** section, edit the endpoint **address** value for the Events Service endpoint, e.g. `http://localhost/Services.Events/Events.svc`.

Save and close the file.

3.1.2 Install the service

Start an elevated command prompt.

Change directory to which you copied the Invoker service files (e.g. `cd D:\SLS\Applications\Services.Invoker`)

At the command prompt, type `InstallInvokerService` and press **Enter**.

At the prompt “**Enter DOMAIN\UserName for service account:**” enter the user account to use to run the service (in the format `DOMAIN\UserName`).

At the prompt “**Enter password for service account:**” enter the password.

8. Note: The password specified will be displayed in plain text in the console window.

You should then see some text indicating that the service configuration has taken place:

```
[SC] CreateService SUCCESS
[SC] ChangeServiceConfig2 SUCCESS
[SC] ChangeServiceConfig2 SUCCESS
```

```
SERVICE_NAME: InvokerService
        TYPE                : 10  WIN32_OWN_PROCESS
        STATE                 : 2   START_PENDING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE        : 0   (0x0)
        SERVICE_EXIT_CODE     : 0   (0x0)
```

```

CHECKPOINT      : 0x0
WAIT_HINT      : 0x0
PID            : 13784
FLAGS          :

```

Press any key to continue . . .


Press a key to complete the process.

You can then close the command prompt.

3.1.3 Check service credentials

Verify the credentials you entered were correct by checking the **Services** Administrative Tool.

Locate the **Skills Management Invoker Service** in the list of services, and ensure it is running. If it is not, this may be because the service account was not given log on as a service rights.



If the service is not running and you are using a local computer account (rather than a domain account) you can double-click the service and correct the credentials in the **Log On** tab.

If you are using a domain account, ensure that it has the rights to log on as a service and refresh the local group policy by running **gpupdate /force** from an elevated command prompt

4 Manually uninstalling the Invoker Service

Start an elevated command prompt.

Change to the location to which you copied the Invoker service files (e.g. **cd D:\SLS\Applications\Services.Invoker**)

At the command prompt, type **RemoveInvokerService** and press **Enter**.

You should then see some text indicating that the service configuration has taken place:

```
SERVICE_NAME: InvokerService
      TYPE           : 10  WIN32_OWN_PROCESS
      STATE          : 3   STOP_PENDING
                    (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
      WIN32_EXIT_CODE : 0   (0x0)
      SERVICE_EXIT_CODE : 0   (0x0)
      CHECKPOINT      : 0x0
      WAIT_HINT       : 0x0
[SC] DeleteService SUCCESS
Press any key to continue . . .
```

Press a key to complete the process.

You can then close the command prompt.