



Skills Management 9.0.0

Firewall Requirements

Information contained herein is proprietary and confidential and cannot be disclosed or duplicated without the prior written consent of Genesys Telecommunications Laboratories, Inc.

Copyright © 2017 Genesys Telecommunications Laboratories, Inc. All rights reserved.

About Genesys

Genesys powers 25 billion of the world's best customer experiences each year. Our success comes from connecting employee and customer conversations on any channel, every day. Over 10,000 companies in 100+ countries trust our #1 customer experience platform to drive great business outcomes and create lasting relationships. Combining the best of technology and human ingenuity, we build solutions that mirror natural communication and work the way you think. Our industry-leading solutions foster true omnichannel engagement, performing equally well across all channels, on-premise and in the cloud. Experience communication as it should be: fluid, instinctive and profoundly empowering. Go to www.genesys.com for more information.

Each product has its own documentation for online viewing at the Genesys Documentation website or on the Documentation Library DVD, which is available from Genesys upon request. For more information, contact your sales representative.

Notice

Although reasonable effort is made to ensure that the information in this document is complete and accurate at the time of release, Genesys Telecommunications Laboratories, Inc. cannot assume responsibility for any existing errors. Changes and/or corrections to the information contained in this document may be incorporated in future versions.

Your Responsibility for Your System's Security

You are responsible for the security of your system. Product administration to prevent unauthorized use is your responsibility. Your system administrator should read all documents provided with this product to fully understand the features available that reduce your risk of incurring charges for unlicensed use of Genesys products.

Trademarks

Genesys and the Genesys logo are registered trademarks of Genesys Telecommunications Laboratories, Inc. All other company names and logos may be trademarks or registered trademarks of their respective holders. © 2017 Genesys Telecommunications Laboratories, Inc. All rights reserved.

Technical Support from VARs

If you have purchased support from a value-added reseller (VAR), please contact the VAR for technical support.

Ordering and Licensing Information

Complete information on ordering and licensing Genesys products can be found in the [Genesys Licensing Guide](#).

Released by: Genesys Telecommunications Laboratories, Inc. <http://www.genesys.com/>

Document Version: 90_skillsmanagement_firewall_requirements__12-2017_v9.0.001.00

Contents

1	Required Open Ports for Installation of Skills Management	4
----------	--	----------

1 Required Open Ports for Installation of Skills Management

The table below shows the ports that are needed to be open for Skills Management to be installed and operate correctly. This assumes that all prerequisite and integrated software is installed on its standard ports. It includes details for all supported WFMs - you should choose your appropriate WFM from the list and ensure the correct ports are open to that.

Port/Port Range	From	To	Purpose	Notes
80 or 443	End user's machines	Skills Management Web Server	Allow HTTP traffic from user's browsers to the server	Port 443 if HTTPS is being used, Port 80 otherwise. If HTTPS is used a valid certificate will be required on the server.
1433	Web Server	Skills Management Database Server	Allow SQL traffic between Web and Database Servers	If SQL server is running on a different port, please adjust accordingly.
2383 or 2382	Web Server	Database Server	Allow SSAS traffic between Web and Database servers	Needs 2383 open (if default instance) or 2382 (if named instance).
135, 5000-5020	Web Server	Skills Management Database Server	Allow RPC Traffic between Web and Database Servers so that Microsoft Distributed Transaction Co-ordinator (MSDTC) can run	RPC range can be configured more tightly if required - (see: https://support.microsoft.com/en-gb/kb/250367)
80	Web Server	WFM Server (IEX)	Allow Skills Management to access the NICE TV4 web services	This is the default port for the TV4/Smart Sync services. It may be configured differently in your environment.
80	Training Manager End user's machines	WFM Server (IEX)	Allow Training Manager to access the NICE TV4 Web services	This is the default port for the TV4/Smart Sync services. It may be configured differently in your environment.
80	Web Server	WFM Server (Teleopti)	Allow Skills Management to access the Teleopti web services	This is the default for the Teleopti SDK. It may be configured differently in your environment
80	Training Manager End user's machines	WFM Server (Teleopti)	Allow Skills Management to access the Teleopti web services	This is the default for the Teleopti SDK. It may be configured differently in your environment

Required Open Ports for Installation of Skills Management

7610	Web Server	Genesys Server hosting the EWM Capture Point	Allow Skills Management to access the EWM Web Service Capture Point	This is the default Capture Point port. Your capture point may be configured differently.
5007	Training Manager End user's machines	WFM Server (Genesys)	Allow Skills Management to access the Genesys WFM services	This is the default port. It may be configured differently in your environment.
5007	Web Server	WFM Server (Genesys)	Allow Skills Management to access the Genesys WFM services	This is the default port. It may be configured differently in your environment.

Required Open Ports for Installation of Skills Management